


Oil Pattern Distance	40	Reverse Brush Drop	32	Oil Per Board	50 ul
Forward Oil Total	15.95 mL	Reverse Oil Total	8.75 mL	Volume Oil Total	24.7 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	14	74	0.0	1.9	1.9	3700
2	5L	5R	3	18	93	1.9	9.5	7.6	4650
3	9L	9R	4	18	92	9.5	19.7	10.2	4600
4	13L	13R	4	18	60	19.7	29.9	10.2	3000
5	2L	2R	0	18	0	29.9	33.0	3.1	0
6	2L	2R	0	22	0	33.0	40.0	7.0	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	40.0	21.0	-19.0	0
2	13L	13R	2	14	30	21.0	17.1	-3.9	1500
3	9L	9R	2	14	46	17.1	13.2	-3.9	2300
4	5L	5R	2	14	62	13.2	9.3	-3.9	3100
5	2L	2R	1	10	37	9.3	7.9	-1.4	1850
6	2L	2R	0	10	0	7.9	0.0	-7.9	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.33	1.56	1	1	1.56	3.33

